### **APPENDIX B**

- **B-1 RESULTS OF SOIL-VAPOR ANALYSES**
- **B-2 CHAIN-OF-CUSTODY FORMS**
- B-3 INITIAL THREE-POINT CALIBRATION DATA
- B-4 DAILY OPENING, CLOSING, AND CONTINUING CALIBRATION VERIFICATION REPORTS

### **APPENDIX B-1**

### **RESULTS OF SOIL-VAPOR ANALYSES**



### 148 S. VINEWOOD STREET ESCONDIDO, CA 92029

August 8, 2001

PHONE (760) 735-3208 • FAX (760) 735-2469

Mr. Tony Ford Geofon 22632 Golden Springs Drive Suite 270 Diamond Bar, CA 91765

SUBJECT: DATA REPORT – JET PROPULSION LAB – 4800 OAK GROVE DRIVE – LA CANADA, CA - GEOFON PROJECT #04-4304-480

HP Labs Project # GF071101W1

Mr. Ford:

Please find enclosed a data report for the above referenced location. Soil vapor samples were analyzed on-site in DQHS certified mobile laboratory (CERT #1745).

#### Project Sun mary

Soil vapor from 124 points was analyzed for:

- volatile halogenated hydrocarbons by EPA Method 8010
- volatile aromatic hydrocarbons (BTEX) by Modified EPA Method 8020
- 9 extra LCS

The samples were received on-site in appropriate containers with appropriate labels, seals, and chain-of-custody documentation.

#### **Project Narrative**

The results for all analyses and required QA/QC analyses are summarized in the enclosed tables. All calibrations, blanks, surrogates, and spike recoveries fulfill quality control criteria. No data qualifiers (flags) apply to any of the reported data.

HP Labs appreciates the opportunity to provide analytical services to Geofon on this project. If you have any questions relating to this data or report, please do not hesitate to contact us.

Singerely,

James E. Picker, Ph. D.

Lab Director d.b.



GEOFON PROJECT # 04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1

GC SHIMADZU 14A RIGHT

VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

VOLATILE HALOGENATED AND AROMATIO TITORICO	BLANK	SVW26-VPF-001	SVW26-VPG-002	SVW26-VPH-003	SVW26-VPI-004	SVW25-VPA-005	SVW25-VPA-006 DUP
DATE	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01
ANALYSIS TIME	06:11	06:41	07:08	07:35	08:02	08:30	08:58
SAMPLING DEPTH (feet)		115	140	160	180	20	20
VOLUME WITHDRAWN (cc)		520	620	790	780	140	260
VOLUME INJECTED	1	1	1	1	1	1	1 .
DILUTION FACTOR	1	1	1	1	1	. 1	11
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd .	. nd	nd -
CHLOROFORM	nd	nd	nd	nd	nd	nd	nd
1.1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
1.1-DICHLORO ETHENE	nd	nd	nd	nd	nd	. nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE	nd	nd -	nd	nd	nd	nd	nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
1.1.2.2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nđ	nd
1.1.1-TRICHLORO ETHANE	nd	nd	, nd	nd	nd	nd	nd
1.1.2-TRICHLORO ETHANE	. nd	nd	nd	nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	1.1	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd	nd
1.1.2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd -	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd	nd
SURROGATES							
1.4 DIFLUORO BENZENE	96%	98%	98%	96%	94%	99%	99%
4 BROMOFLUORO BENZENE	89%	90%	91%	89%	88%	92%	91%
ND INDICATES NOT DETECTED AT A DETECTION LIN	MIT OF 1.0 UG/L-VAP	OR FOR EACH COMP	OUND				

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

ANALYSES PERFORMED BY: MARK BURKE

DATA REVIEWED BY: JAMES E. PICKER



GEOFON PROJECT # 04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1 GC SHIMADZU 14A RIGHT

VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

	SVW25-VPB-007	SVW25-VPI-008	SVW25-VPJ-009	SVW27-VPA-010	SVW27-VPB-011	SVW27-VPB-012 DUP
DATE	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01
ANALYSIS TIME	09:25	09:52	10:18	10:47	11:39	12:04
SAMPLING DEPTH (feet)	40	180	190	20	35	35
VOLUME WITHDRAWN (cc)	220	780	820	140	200	260
VOLUME INJECTED	1	1	1	1	1	+ 1
DILUTION FACTOR	1	1	1	1.	1	1
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd
CHLOROFORM	nd	nd	nd	nd	, nd	nd
1,1-DICHLORO ETHANE	nd	nd	nd	nd ·	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHENE	nd	nd	nd	nd	. nd	nd -
CIS-1,2-DICHLORO ETHENE	· nd	nd	nd	nd ·	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE	· nd	nd	nd	nd	nd	nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd ·	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nđ	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nd	nd	nd	nd	• nd	nd
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd
SURROGATES						
1,4 DIFLUORO BENZENE	99%	96%	94%	97%	99%	97%
4 BROMOFLUORO BENZENE ND INDICATES NOT DETECTED AT A DETECTION L	91%	88%	87%	90%	92%	89%

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

ANALYSES PERFORMED BY: MARK BURKE

DATA REVIEWED BY: JAMES E. PICKER

GEOFON PROJECT #04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1
SHIMADZU GC-14A FRONT

VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

۸	_	- ^	C		118	(FT	rc
ш	ĸ	- A		しノ	U1	V	0

AREA COUNTS	BLANK	BLANK	SVW26-VPF- S	VW26-VPF-	SVW26-VPG- S	SVW26-VPG-	SVW26-VPH-	SVW26-VPH-	SVW26-VPI-	SVW26-VPI-
SAMPLE NAME		22,	001	001		002	003	003	004	004
DATE	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01
DATE	6:11	6:11	6:41	6:41	7:08	7:08	7:35	7:35	8:02	8:02
ANALYSIS TIME			115	115	140	140	160	160	180	180
SAMPLING DEPTH (feet)			520	520	620	620	790	790	780	780
VOLUME WITHDRAWN (cc)	1	1	1	1	1	1	. 1	1	1	1
VOLUME INJECTED	1	1	1	1	1	1	1	1	1	1
DILUTION FACTOR	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA
CARBON TETRACHLORIDE	nd	nd	<del></del>	nd	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
•··	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROFORM 1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHANE 1,2-DICHLORO ETHANE	nd	nd		nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHANE 1,1-DICHLORO ETHENE	nd	nd	nd	: nd	nd	nd	nd	nd	nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	, nd	nd	nd	nd	nd	nd	nd
	nd	nd		nd	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd		nd	nd	nd	nd	nd	nd	•
1,1,2,2-TETRACHLORO ETHANE	nd	nd	l ndi	nd	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETTANE 1,1,1-TRICHLORO ETHANE	nd	nd	l nd	nd	nd	nd	. nd	nd	nd	:
	nd	nd		nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd		nd	nd	nd	nd	nd	10.7	2.3
TRICHLORO ETHENE	nd	no		nd	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE TRICHLOROFLUOROMETHANE (FR11)	nd	no		nd	nd	. nd	nd	nd	nd	nd
DICHLOROFEUOROMETHANE (FR12)	nd	no		nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	no		nd	nd	nd	nd	nd	nd	nd
BENZENE	nd	nc	l nd	nd	nd	nd	nd	nd	nd	:
CHLOROBENZENE	nd	nc	l nd	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	no	l nd	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	no	ı nd	nd	nd	nd	nd	nd	nd	nd
	nd	no	i nd	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	no	nd nd	nd	nd	nd	nd	nd	nd	nd
0-XYLENE SURROGATES				<del></del>						
1.4 DIFLUORO BENZENE	10.0	27.1	10.0	27.6	10.0	27.6	10.0	27.1	10.0	
1,4 DIFLUORO BENZENE 4 BROMOFLUORO BENZENE	21.2	69.6		70.2	21.2	70.9	21.2	69.8	21.2	68.3
4 BKOMOLLOCKO DEMEENE	LUMIT OF A OLIC			DOLIND.						

ND INDICATES NOT DETECTED AT A DETECTION LIMIT OF 1.0 UG/L-VAPOR FOR EACH COMPOUND ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

GEOFON PROJECT #04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1
SHIMADZU GC-14A FRONT
VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

AREA COUNTS	SVW25-VPA-005 SV	N25-VPA-005 SV	W25-VPA-006 SV	W25-VPA-006 S	SVW25-VPB-007 S	VW25-VPB-007	SVW25-VPI-008	SVW25-VPI-008
SAMPLE NAME	134425-41 74-000 044		DUP	DUP				
	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01		07/11/01
DATE	8:30	8:30	8:58	8:58	9:25	9:25	9:52	9:52
ANALYSIS TIME	20	20	20	20	40	40	180	180
SAMPLING DEPTH (feet)	140	140	260	260	220	220	780	780
VOLUME WITHDRAWN (cc)	140	1	1	1	1	1	1	1
VOLUME INJECTED	1	1	1	1	1	1	1	1
DILUTION FACTOR	RT	AREA	RT	AREA	RT	AREA	RT	AREA
	nd	nd	nd	nd	nd	nd	nd	no
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd	nd	ne
CHLOROETHANE	nd	nd	nd	nd	nd	nd	nd	- no
CHLOROFORM	nd	nd	nd	nd	nd	nd	nd	no
1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	no
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	no
1,1-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	, ne
CIS-1,2-DICHLORO ETHENE	!	nd	nd	nd	nd	nd	nd	ne
TRANS-1,2-DICHLORO ETHENE	nd nd	nd	nd	nd	nd	nd	nd	ne
DICHLOROMETHANE	nd	nd	nd	nd	nd	nd	nd	n
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	ne
1,1,1,2-TETRACHLORO ETHANE	•	nd	nd	nd	nd	nd	nd	n
1,1,2,2-TETRACHLORO ETHANE	nd	nd .	nd	nd	nd	nd	nd	ne
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	ne
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	n
TRICHLORO ETHENE	nd		nd	nd	nd	nd	nd	n
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd	n
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd	nd	ne
DICHLORODIFLUOROMETHANE (FR12)	nd	nd nd	nd	nd	nd	nd nd	nd	n
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd		
BENZENE	nd			nd	nd	nd	nd	ne
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd	n
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd	n
TOLUENE	nd	nd	nd		nd	nd	nd	n n
m&p-XYLENES	nd	nd	nd 	nd	nd nd	nd	nd	n.
o-XYLENE	nd	nd	nd	nd	na	HQ	110	11
SURROGATES				00.0	10.0	28.0	10.0	27.
1.4 DIFLUORO BENZENE	10.0	27.9	10.0	28.0	10.0 21.2	70.8		
4 BROMOFI UORO BENZENE	21.2	71.4	21.2	71.1	21.2	70.0	21.2	00.

ND INDICATES NOT DETECTED AT A DETECTION LIMIT OF 1.0 UG/L-VAPOR FOR EACH COMPOUND ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)



GEOFON PROJECT #04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1
SHIMADZU GC-14A FRONT
VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR
AREA COUNTS

SAMPLE NAME	I SVW25-VPJ-009 SV	/W25-VPJ-009 S	VW27-VPA-010	SVW27-VPA-010	SVW27-VPB-011	SVW27-VPB-011	SVW27-VPB-012	SVW27-VPB-012
Order EE TO THE	! !						DUP	DUP
DATE	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01	07/11/01
ANALYSIS TIME	10:18	10:18	10:47	10:47	11:39	11:39	12:04	12:04
SAMPLING DEPTH (feet)	190	190	20	20	35	35	35	35
VOLUME WITHDRAWN (cc)	820	820	140	140	200	200	260	260
VOLUME INJECTED	1	1	1	1	1	1	1	1
DILUTION FACTOR	1	1	1	1	1	1	1	1
	RT	AREA	RT	AREA	RT	AREA	RT	AREA
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd	- nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd		nd
CHLOROFORM	nd ·	nd	nd	nd	nd	nd		nd
1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHENE	, nd	nd	nd	nd	nd	nd		nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd		nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd		nd
DICHLOROMETHANE	nd	nd	nd	nd	nd	nd		nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd		nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd		nd
1,1,2,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd		nd
1,1,1-TRICHLORO ETHANE	. nd	nd	nd	nd	nd	nd		nd
1,1,2-TRICHLORO ETHANE	nd	nd	. nd	nd	nd	nd		nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd		nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	. nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd		nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd		nd
BENZENE	nd	nd	nd	nd	nd	nd		nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	. nd	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd	nd	nd
SURROGATES								
1,4 DIFLUORO BENZENE	10.0	26.5	10.0	27.4	10.0	27.9		27.4
4 BROMOFLUORO BENZENE	21.2	68.2	21.2	70.2	21.3	71.5	21.3	69.2
ND INDICATES NOT DETECTED AT A DETECTION	I LIMIT OF 1.0 UG/L-V/	APOR FOR EACH	1 COMPOUND					

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

GEOFON PROJECT # 04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1 GC SHIMADZU 14A RIGHT

VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

VOLATILE HALOGENATED AND ANOMATIC TITEROX	BLANK	SVW27-VPC-013	SVW27-VPD-014	SVW27-VPE-015	SVW27-VPF-016	SVW27-VPG-017	SVW27-VPG-018 DUP
DATE	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01
ANALYSIS TIME	05:44	06:11	06:37	07:02	07:28	07:55	08:21
SAMPLING DEPTH (feet)		60	85	100	120	140	140
VOLUME WITHDRAWN (cc)		300	690	460	540	620	620
VOLUME INJECTED	1	1	1	1	1	1	1
DILUTION FACTOR	1	. 1	1	1	1	1	1
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd .	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd	nd
CHLOROFORM	nd	nd	nd	nd	nd	nd	nd
1.1-DICHLORO ETHANE	nd	nd	nd	nd	nd .	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	- nd	nd	nd
1,1-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd ·	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE	nd	nd	nd ·	nd	nd	nd	nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd ·	nd	nd
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd .	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nď	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	ńd	nd	nd	nd
SURROGATES							
1,4 DIFLUORO BENZENE	93%	101%	90%	96%	98%	96%	99%
4 BROMOFLUORO BENZENE ND INDICATES NOT DETECTED AT A DETECTION LI	87%	93%	85%	88%	91%	88%	91%

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)



GEOFON PROJECT # 04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1 GC SHIMADZU 14A RIGHT

VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR

	SVW27-VPI-019	SVW27-VPJ-020	SVW28-VPA-021	SVW28-VPD-022	SVW28-VPE-023	SVW28-VPE-024 DUP
DATE	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01
ANALYSIS TIME	08:47	09:13	09:45	10:11	11:03	11:29
SAMPLING DEPTH (feet)	180	205	20	85	105	105
VOLUME WITHDRAWN (cc)	780	880	140	380	480	480
VOLUME INJECTED	1	1	. 1	1	1	1
DILUTION FACTOR	1	11	1	1	1	1 .
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nď
CHLOROFORM	nd	nd	nd	nď	nd	nd
1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHENE	nd	nd	nd ·	nd	nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd
DICHLOROMETHANE	nd	nd	nd ·	nd	nd	nd
TETRACHLORO ETHENE	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nď	nd	nd	nd	nd	· nd
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	. nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd
SURROGATES						
1,4 DIFLUORO BENZENE	97%	95%	97%	98%	98%	96%
4 BROMOFLUORO BENZENE	89%	87%	90%	90%	90%	88%
ND INDICATES NOT DETECTED AT A DETECTION I	IMIT OF 1.0 UG/L-VAP	OR FOR EACH COME	POUND			

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

ANALYSES PERFORMED BY: MARK BURKE

DATA REVIEWED BY: JAMES E. PICKER



GEOFON PROJECT #04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1
SHIMADZU GC-14A FRONT
VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR AREA COUNTS

SAMPLE NAME	BLANK	BLANK	SVW27-VPC-S	VW27-VPC-S	VW27-VPD- S	VW27-VPD- S	VW27-VPE- S	VW27-VPF- S	VW27-VPF- S	\/\/\/27_\/PF
	İ	1	013	013	014	014	015	015	016	016
DATE	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01
ANALYSIS TIME	5:44	5:44	6:11	6:11	6:37	6:37	7:02	7:02	7:28	7:28
SAMPLING DEPTH (feet)	-	-	60	60	85	85	100	100	120	120
VOLUME WITHDRAWN (cc)	-		300	300	690	690	460	460	540	540
VOLUME INJECTED	1	1	1	1	1	1	1	1	1	1
DILUTION FACTOR	1	1	1	1	1	1	1	1	1	1
	RT	AREA	RT	AREA	RT	AREA	RT	AREA	RT	AREA
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROFORM	nd	· nd	nd	nd	nd	nd	nd	nd	nd	no
1,1-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
1,1-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
TRANS-1,2-DICHLORO ETHENE	nd	nd	nd	. nd	nd	nd	nd	nd	nd	no
DICHLOROMETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
TETRACHLORO ETHENE	nd	nd	nd	hd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
1,1,1-TRICHLORO ETHANE	nd	nd	nď	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd	nd	no
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nđ	nd	nd	nd	nd	nď	nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd	nd nd	nd	nd	nd
SURROGATES							114	110	nu	na
1,4 DIFLUORO BENZENE	10.0	26.3	10.0	28.4	10.2	25.5	10.0	27.0	10.0	^= =
4 BROMOFLUORO BENZENE	21.3	67.6	21.3	72.9	21.4	66.2	21.3	27.0 68.5	10.0 21.3	27.7 71.0

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)

GEOFON PROJECT #04-4304-480 JET PROPULSION LAB 4800 OAK GROVE DRIVE LA CANADA, CA

HP Labs Project #GF071101W1
SHIMADZU GC-14A FRONT
VOLATILE HALOGENATED AND AROMATIC HYDROCARBONS (EPA Method 8021) ANALYSES OF SOIL VAPOR
AREA COUNTS

SAMPLE NAME	SVW27-VPG-	SVW27-VPG-	SVW27-VPG-	SVW27-VPG-	SVW27-VPI-019	SVW27-VPI-019	SVW27-VPJ-020	SVW27-VPJ-020
	017	017	018 DUP	018 DUP				
DATE	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01	07/12/01
ANALYSIS TIME	7:55	7:55	8:21	8:21	8:47	8:47	9:13	9:13
SAMPLING DEPTH (feet)	140	140	140	140	180	180	205	205
VOLUME WITHDRAWN (cc)	620	620	620	620	780	780	880	880
VOLUME INJECTED	1	1 [	1	1	1	. 1	1	1
DILUTION FACTOR	1	1	1	1	1	1	1	1
	RT	AREA	RT	AREA	RT	AREA	RT	AREA
CARBON TETRACHLORIDE	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROETHANE	nd	nd	nd	- nd	nd	nd	nd	nd
CHLOROFORM	nd -	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHANE	nd	nd	. nd	nd	nd	nd	nd	nd
1,2-DICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
1,1-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd
CIS-1,2-DICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd
TRANS-1,2-DICHLORO ETHENE	nd	nd	nḍ	nd	nd	nd	nd	nd
DICHLOROMETHANE	nd	nd	nd	nd	nd	nd	nd	nd
TÉTRACHLORO ETHENÉ	nd	nd	nd	nd	nd	nd	nd	nd
1,1,1,2-TETRACHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2,2-TETRACHLORO ETHANE	nd	n <b>d</b>	nd	nd	nd	nd	nd	nd
1,1,1-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLORO ETHANE	nd	nd	nd	nd	nd	nd	nd	nd
TRICHLORO ETHENE	nd	nd	nd	nd	nd	nd	nd	nd
VINYL CHLORIDE	nd	nd	nd	nd	nd	nd	nd	nd
TRICHLOROFLUOROMETHANE (FR11)	nd	nd	nd	nd	nd	nd	nd	r nd
DICHLORODIFLUOROMETHANE (FR12)	nd	nd	nd	nd	nd	nd	nd	nd
1,1,2-TRICHLOROTRIFLUOROETHANE (FR113)	nd	nd	nd	nd	nd	nd	nd	nd
BENZENE	nd	nd	nd	nd	nd	nd	nd	nd
CHLOROBENZENE	nd	nd	nd	nd	nd	nd	nd	nd
ETHYLBENZENE	nd	nd	nd	nd	nd	nd	nd	nd
TOLUENE	nd	nd	nd	nd	nd	nd	nd	nd
m&p-XYLENES	nd	nd	nd	nd	- nd	nd	nd	nd
o-XYLENE	nd	nd	nd	nd	nd	nd	nd	nd
SURROGATES								<u></u> -
1,4 DIFLUORO BENZENE	10.0	27.0	10.0	27.9	10.0	27.3	10.0	26.8
4 BROMOFLUORO BENZENE	21.3	68.7	21.3	70.9	21.3	69.4	21.3	67.8
ND INDICATES NOT DETECTED AT A DETECTION L	IMIT OF 1.0 UG/L-V	APOR FOR EACH	COMPOUND					

ANALYSES PERFORMED ON-SITE IN CA DOHS MOBILE LABORATORY (CERT #1745)